






Breedte Largeur	Hoogte hauteur	dia	typ E 9 CPLK	typ4x4 CPLK	Auto sock		Breedte Largeur	Hoogte hauteur	dia	typ E 9 CPLK	typ4x4 CPLK	Auto sock
145	80	12	20				215	70	14	100	370	685
145			20				215	75		380	685	
155	70		20		540		215			390		
155	80		30		540		8.25			470		
155			30		540		10			460		
135	80		20		540		30	9.5		410		
135			20		540		31	10.5		460		
145	70		20				33	12.5		480		
145	80		30		540		135	70		30	540	
145			30		540		135	80		40		
155	65	20		540	135		40					
155	70	30		540	145	65	30	540				
155	80	40		600	145	80	50	600				
155		40		600	145		50					
165	55	20			155	60		540				
165	65	30		540	155	65	40					
165	70	40		540	155	70	50	600				
165	80	50		600	165	50		540				
165		50		600	165	55		540				
175	50	13	30				165	60				540
175	60		30		540		165	65	50	600		
175	65		40		540		165	70		600		
175	70		50		600		165	80		600		
175	75				600		165		70			
175	80		60		600		175	55	50	600		
175			60		600		175	60	60	600		
185	60		40		540		175	65	60	600		
185	65				600		175	70	70	645		
185	70		50		600		175	75		645		
195	55	40		540	185	50	50	540				
195	65			600	185	55	60	600				
195	70			600	185	60	70	600				
205	70			600	185	65	80	600				
145	65	15	30				185	70	15	80		645
155	65		30		540		185			80		
155	70		40		540		185	45		50	370	540
155					600		195	50		60	600	
165	55				540		195	55		70	600	
165	60		40		540		195	60		80	600	
165	65		40		540		195	65		80	645	
165	70		50		600		195	70		90	370	645
165	75		60		600		195	75			685	
165	80		60		600		195	80		100	685	
165		60			195		100	380	685			
175	60	40		540	205	50	70	600				
175	65	50		600	205	55	70	600				
175	70	60		600	205	60	90	645				
175	75	70		600	205	65	90	370	645			
175	80	70		645	205	70	100	380	685			
175		70			205	75		380	695			
185	50	40		540	205	80		390	695			
185	55	50		540	215	50	80	600				
185	60	50		600	215	60	90	370	645			
185	65	60		600	215	65	100	380	685			
185	70	70		600	215	70	110	380	685			
185	75		360	645	215	75		390	695			
185	80	90		645	215			400	697			
185		90	360	645	225	50	80					
195	45	40		540	225	55	100	645				
195	55	50		600	225	60	100	380	685			
195	60	60		600	225	70		390	695			
195	65	70		600	225	75		400	697			
195	70	80	360	645	235	60		380	685			
195	75		360	645	235	70	130	400	697			
195	80	90		685	235	75		410	697			
195		90	370	685	245	75		697				
205	55			600	245	85		699				
205	60	70		600	255	60		400	695			
205	65			645	255	65		410	697			
205	70	90	360	645	255	70		410	697			
205	75		380	68	255	75		450	698			
205	80	100		695	265	70		450	697			
205		100	380	695	265	75		460	698			

Breedte Largeur	Hoogte hauteur	dia	typ E 9 CPLK	typ4x4 CPLK	Auto sock		Breedte Largeur	Hoogte hauteur	dia	typ E 9 CPLK	typ4x4 CPLK	Auto sock	
275	60	15		410	697		175	55	17	70			
325	60				480			195		45	70		600
6.00					390			205		40	70		600
6.50					390			205		45	80		645
7.00					400			205		50	90		645
7.50					450		699	205		55	100		645
8.25								205		60			685
9.00								205		65			695
11.00								205		70			697
175	55						600	215		35	70		600
175	60						600	215		40	80		600
175	75				370		685	215		45	90		645
175					370			215		50	100		645
185	50			60			600	215		55	110		685
185	55			70			600	215		60	110	390	695
185	65				645	225	45	100		645			
185	75			380	685	225	50	100		685			
195	40		50		540	225	55	120	390	685			
195	45		60		600	225	60	120	400	695			
195	50		70		600	225	65		410	697			
195	55		80		600	225	70		450	697			
195	60		90	360	645	235	40	100		645			
195	65		100	370	645	235	45	100		645			
195	70				685	235	50	120		685			
195	75			390	695	235	55	130	400	695			
195				390		235	60		410	697			
205	40		60		600	235	65		450	697			
205	45		70		600	235	70		450	698			
205	50		80		600	245	35	90					
205	55		90		645	245	40	100	380	645			
205	60		100	370	645	245	45	110		685			
205	65		100	380	685	245	50			695			
205	75			400	695	245	55	130	410	695			
205				400	697	245	65		450	697			
215	40		70		600	245	70		460	698			
215	45		80		600	245	75		470	699			
215	50		90		645	255	40	110		685			
215	55	16	100	370	645	255	45	120		695			
215	60		100	380	685	255	50		410	695			
215	65		120	390	685	255	60		460	697			
215	70			390	695	255	65		460	698			
215	75			400	697	255	70		460	698			
215	80				450	697	255	75		480	698		
215	85				450	698	265	40	120				
215					450	697	265	55			697		
225	40			70		600	265	65		460	698		
225	45			90		645	265	70		470	699		
225	50			90		645	275	55		460	697		
225	55			110		685	275	60			698		
225	60			110	390	685	275	65		470	699		
225	65			120	400	695	285	65		480			
225	70			130	400	697	285	70		480			
225	75			410	697	315	70						
235	50		100			8				450			
235	60		120	390	695	8.5				450			
235	65			400	697	9.5				470			
235	70			410	697	10							
235	75			450	697	205	65						
235	85			460	699	205	75	17,5		400			
235				450	698	215	75			450	697		
245	45		100		645	225	75			460			
245	55		120		695	235	75			470			
245	70			450	697	245	70			470			
245	75			450	698	245	75						
255	65			450	697	265	70						
255	70			450	698	7.00		18					
255	75			460	699	7.50				460			
255	85			470		12.5	80						
265	70			460	698	12.50							
265	75			470	699	205	40			80	645		
275	55			410	697	215	35			80	645		
275	70			470	699	215	40			90	645		
285	75			480		215	45			100	645		

Breedte Largeur	Hoogte hauteur	dia	typ E 9 CPLK	typ4x4 CPLK	Auto sock		Breedte Largeur	Hoogte hauteur	dia	typ E 9 CPLK	typ4x4 CPLK	Auto sock	
215	50	18			685		285	45	19		460		
215	55		120	400	695		195	50					695
215	65				697		195	55					
225	35		90		645		215	45					695
225	40		100	380	645		215	50					
225	45		110		685		225	30		110			
225	50		120		685		225	35		120			695
225	55		130	400	695		235	30		110			
225	60		130	410	697		235	35		120	400		685
225	65				450		697	235	55		460		698
225	70					698	245	30		120		685	
235	35					645	245	35		130	400	695	
235	40		110			645	245	40			410	695	
235	45		120			685	245	45			450	697	
235	50		130	400		695	245	50			460	697	
235	55				410	697	255	35			410	695	
235	60				450	697	255	40			450	697	
235	65				460	698	255	45	20		450	697	
245	35		110			645	255	50			460	698	
245	40		120			685	255	55			470	698	
245	45		120			695	265	30		130	400	695	
245	50		130	410		695	265	45				697	
245	55					697	265	50			470	698	
245	60				450	697	275	40			460	697	
255	35		110			685	275	45			460	698	
255	40		120			695	275	50			480	699	
255	45		130	400		695	275	60			480		
255	55				450	697	285	50			480		
255	60				460	698	295	35			460		
255	65					698	295	40			470	698	
265	35					695	295	45			480		
265	40		130			695	305	35			470		
265	55					697	315	35			470		
265	60				470	698	245	35			410	697	
265	65					699	245	40				697	
275	35	130			695	245	45				697		
275	40				695	255	35			450	697		
275	45			450	697	255	40				697		
275	60			470	699	255	50	21			698		
285	40			450		265	30						
285	50			460		265	35			450	697		
285	65			480		265	40			460	697		
295	30	130				275	45			480			
335	80					285	35			460			
205	55	19			697	295	35			470			
215	55				400	697	245	35			450		
225	35		100			645	265	30				697	
225	40		110			685	265	35	22		460	697	
225	45		120			695	285	35			470		
225	55				410	697	295	30			470		
235	35		110			685							
235	40		120			685							
235	45		130			695							
235	50				450	697							
235	55				450	697							
245	30					645							
245	35		120			685							
245	40		130			695							
245	45				410	695							
255	35		130			695							
255	40		130			695							
255	45				450	697							
255	50				460	697							
255	55				460	698							
265	35		130			695							
265	40					695							
265	50				460	697							
265	55				470	698							
275	30		120										
275	40			450	697								
275	45			460	697								
275	50			460	698								
275	55			470	699								